

# Roadpost Support Center

Portal > Knowledgebase > GeoPro > GeoPro Web App > Web App for Administrators > Devices Tab > How-To > Enabling & Disabling a Check-In Schedule for a Device from the Devices tab [GPv3]

---

## Enabling & Disabling a Check-In Schedule for a Device from the Devices tab [GPv3]


Lu Parente - 2015-10-05 - in How-To

Once a check-in schedule has been assigned to a user by an Administrator or Monitor, it can be enabled or disabled on behalf of the device user. Check-in schedules can be enabled or disabled on behalf of a user from a couple of different places in the GeoPro web app. Check-in schedules can be enabled or disabled from the **device configuration page**, or from the **Group** section of the **Options** tab, all of which accomplish the same end result. This article explains how to enable or disable a check-in schedule from the **Devices** tab.


1. To enable or disable a check-in schedule for a specific device, navigate to the **Devices** tab and select the desired device.



2. The device page for the selected device will be displayed, select **Configure** from the list.



3. From the device configuration page, select **Check-In Schedules** from the list.



4. The assigned check-in schedule will be displayed and can be **enabled** or **disabled** accordingly using the **Check-In Schedule Enabled** toggle. When green, the schedule is **enabled**. When white, the schedule is **disabled**.

